

Warmington Gas Open Fire

SG EG SN 1500 Single Flue Firebox



Fire, Flue System to Comply with NZS 5261 / 5262 : 2003

Due to continued product improvement, Warmington Ind LTD reserves the right to change product specifications without prior notification.

Read all the Instructions carefully before commencing the Installation. Failure to follow these instructions may result in a fire hazard and void the warranty



For Specification See: www.warmington.co.nz

Copyright ©



Warmington Industries Ltd. PH: 09 273 9227 FAX: 09 273 9241 WEB: www.warmington.co.nz			
TITLE	SG EG SN 1500 SINGLE FLUE FIREBOX		
DRAWN	ALAN	DATE	13/07/11
SCALE	NOT TO SCALE	REVISION	01

B-B



Warmington Gas Open Fire

SG EG SN 1500 Single Flue Timber Framing

Fire, Flue System to Comply with NZS 5261 / 5262 : 2003


Due to continued product improvement, Warmington Ind LTD reserves the right to change product specifications without prior notification.

Read all the Instructions carefully before commencing the Installation. Failure to follow these instructions may result in a fire hazard and void the warranty

For Specification See: www.warmington.co.nz

Copyright ©

A-A



IMPORTANT NOTE:

WHERE AN INTERNAL WALL BOARD FINISH IS REQUIRED AROUND THE FIREPLACE, ENSURE ALLOWANCE IS MADE TO PLACE NON COMBUSTIBLE INTERNAL WALL LINING (e.g. PROMINA ETERPAN, SUPALUX) TO COVER THE EXTENT OF THE HEBEL BLOCK SURROUND

DIRECTLY TOUCHING THE FIREBOX WITH ANY BOARD OR PLASTER MAY CAUSE CRACKING FROM HEAT EXPANSION
ALLOW 3mm MINIMUM SPACE AWAY FROM THE FIREBOX

ENSURE THE LOWER AIR INTAKE IS NOT OBSTRUCTED

ALLOW FINISHING ON FLOOR PROTECTOR

NOTE:

WARMINGTON CAITEC AIR IS REQUIRED
SEE SPECIFIC INSTALL INSTRUCTION

Warmington Industries Ltd.			
PH: 09 273 9227 FAX: 09 273 9241 WEB: www.warmington.co.nz			
TITLE	SG EG SN 1500 SINGLE FLUE TIMBER FRAMING		
DRAWN	ALAN	DATE	13/07/11
SCALE	NOT TO SCALE	REVISION	01

B-B

1610

600

359

300

450

1510
WINDOW WIDTH

1900


EXTERNAL "CAITEC AIR" VENTS

FLOOR PROTECTOR: HEBEL OVER COMBUSTIBLE FLOOR



Due to continued product improvement, Warmington Ind LTD reserves the right to change product specifications without prior notification.

Read all the Instructions carefully before commencing the Installation. Failure to follow these instructions may result in a fire hazard and void the warranty
For Specification See: www.warmington.co.nz
Copyright ©



DIRECTLY TOUCHING THE FIREBOX WITH ANY BOARD OR PLASTER MAY CAUSE CRACKING FROM HEAT EXPANSION
ALLOW 3mm MINIMUM SPACE AWAY FROM THE FIREBOX

ENSURE THE LOWER AIR INTAKE
IS NOT OBSTRUCTED

ALLOW FINISHING
ON FLOOR PROTECTOR

NOTE:
WARMINGTON CAITEC AIR IS REQUIRED
SEE SPECIFIC INSTALL INSTRUCTION

Warmington Industries Ltd. PH: 09 273 9227 FAX: 09 273 9241 WEB: www.warmington.co.nz	
TITLE	SG EG SN 1500 SINGLE FLUE BLOCK ENCLOSURE
DRAWN	ALAN
SCALE	NOT TO SCALE
	DATE 13/07/11
	REVISION 01